Obulin This March 2 and 1813 Read Divic van olay end you by U.S. Excits a Small voje of dried han & row tiand, They accom linked their long journey very tardely. not arriving here, and some in. 1 orfore that time, Mr. , Frankly nad four to Colorado for nis realto this I was to occurred with teach ing trade could not attend to Delecting, and Reserving a continu of the Exercent for my husband. This ong suray is much regutted by amplely, at will as by the, inad. lay, the on & of wing and wing Firs to lands, I informed ander

great difficulties, and eneforte chally distroyed the order of their original arrange onest. The contuto de the drapper de out. in many instances, correspond to the chartification as labeled on the orasoner. In Catatogue of the Queimens - will premails to ford y mail, at once, Fred the con-Turks of the lowie for increased is thousand fild, a would then out includination symust the hatthere get by rack of me, for the inductes your kindness fans to our streeties in 12 stang! Trusting That the hackage may safely reach ford, and that ford will accept it not so much for its intrinsic value. It a liklimomial if what we suce which to do, Jones Pary But July

M. b. israely

Mint of Sim

il com onone med , sharke dark from Large ninly, oder, Excrement accases Dinering by rottlets, was invade, Justile frond with contracted 2 - ised Ishidium ", Irrhidaceae "errestricts, Thus longer than overy, life linear, note hed, anthrown 9. Orchidaceae Gerrestrial, thus long, lik. Galberdathafied, petals Toward, author cells 10. Scitamineae Sall leans 39 ranked! flomes lago, while, curring bells with fellow 11. Eyesporliaceae Loss somewood on Landy Stopes near the fea-shord. 12. Canthacest Leans lancestate, condate. Flomes while - Thong, 13. Eliacea Leave with tendril-like tips - Fla- I hory, orange - gellow-turn inside

17. Leve Frailing one right. est liner o stape & sail house & come the leans, authors & former, cally 5-clift, 15. Inchidaceae Territorial, anuch like 10.8.8 few my long, life with Front Latical lotes

16. Leguminosas Sermodiums ?!

Los compound, included orbity, caly 2- lefted, 4-bacted, Frietly, &

17 Leguminosas Dermodium (?)

Glender. Erect, loss 3- foliate - butterfy- Like, Bol a loment folded up! in

18 Leguminosas 18 Expuninosas Los compound, l'eaflet, which is twice trouded than long muit, 19. Smarantaceae Very Small, Als, in thong rose fulfile spikes, Frances or, Entired I was I. Lefuminosae 27. Boundrilaceae Somocal in 2 double zanks!

27. Boundrilaceae Somocal

Lifantic, trailing, lithoral, flowed 4 in diep-White, and 2-celled, Id. Convolmelaceae 23. Convolnelaceae Stout, word, almost Chruthy, It's ofund, bell-chaped, light pinh per tage 24. Bourstoulaceae fromoral

3-lobed leans - hale the flowers - sings 26 Convertaulaceae Difitale. I lobed in, fle in tractició clusters, write. 26. Donnolmulaceae Los cordato, Ils clustered, with a fair of last counts racto. 37. Donnoimilacias

small sancestate in cordato or auricled rasex.

S. Viluminorae - Ing. Small 3 Siace 27. Lefuminosa e There, From king, los 1- poliale and Horsons, 31. Leguminosas Contele Ins-hugh, bujoliale. In dub prapi color rays, in plandant cacemon 31. Lepuminosae Desmodium ?) Los dral to lancestate, compound of I leaflet for transcriby cibbed. 32. Lefuminosa Small pass like. In difficier stipules + bracks alike fool lower 33. Derophulariaceae very lost, inthe dingy brown i- yellow flowers related to Ko. 110. 34. Ofrey naceae Find, lass val low, pubes cence from yellow artalo fragues fex, a very tinde vino- los palinale 5-4 cleft. Fruit 3 ingular. 30. Felicas Donners Engenties my nety, 3. Enperaceae Fish sellers cound heads. 35, Gramineau Lall 426° Sikes wolding, long, rown, braided, 39 Gaminere. zang lake the above int Lindles. + Laminesce Jan bons, ling ranield- silky. 41. Franciscae drike Effindrica, ourrow, like unders read

42 - Irimmear diles lieitre me, me my to, 43. Leanineal Fregratis.

Perioled, outer saled needs + weste, In well lancounte, wester 44. Framineau Paricles. Imalle fishelets than 43, 4 clammy all one. 45, Iranimeau Hell, spilelit drooping-Themes histories, long-armed! Tell, before Reprivate tail reck. 48. Summere Stehr in clother, and in rought of the Granineau. Low. fisher longer + more ofund than 46, low-Agricultail rass. 5-1. - ilicis Aliantumo Looking from tip - rinnal dieply lobed. Filmity In Strand-colored Ja, #hils or purple correlat-dometimes doubled! Execulent and with Limple los , lond thike of white fix cesunt Files of that coloud small fragrant fix, 55. Eiguninorae Enest, small 3-joliate los-inflated rock.

To, Dieher near ellernale, banceotaxe, reinty ers, ohrut- in i fex, TX, Lifuminone Small-about I- freia : ell-Extende on East coast for oil. L. . Summarae ines, Atomb, 3. Filiale- lobed or Limeato efto. of Gonordonlaceae Small, white open for Staments surveiled Ed. & Efrancisal Find-long Edible mill - cultivated. E. Lefuminozac Wirdy- seed - jobs crowded, Fine , slinder, brate billate line . ist Felicex Januar einelle- rhis ma brown-hairy - on rocks- and fruited)

66. Framineae Dryga Saliva. in fin al varieties. Dang.

Beach only- Recured. Desmocium?

58. Defuninoan 08. Leguminoaac or compound, of I say & state-lances Suie safet, Som & me , to od actumentar - de ded 59 - mit hanned lead - mit mint,

. Irona y ite Lea- ine, lost, vease ung. ". Lary reciae Chregmund ? Pine - roomy, sall- on Juster, capité canad. 12, Mys Lacene sono-mirle fit-laser basemose'- à valua le tim veu- die 13. L'uminosue I Find - with rimstely - many frients los , sais and the stand and dead dead Flower much like Smel- Bail- Blant lower. freeze, much more ene 15. Ecitamineas Plant with hundromed rose- coloud brates, yellow jes, 6. Man : sevar Commond - while, fild lotes with while flow thems. 17 Laguminorae Rus-Fribe 1 2 cours trailing vind - 3 foliale fla blue - Bungron A larger bush by ditches + creeks - Fruit used in dring Fino lost ilant with long linear los - &mall flx.

50. Leguminorae dub- tr. It

Try fino-leand lost plant, flx gellors.

\$1. Malraecae Dourse, hairy, o'hrusty plant - fla nime en enne. Commons-low aromatic flike finger) yellow jugaceoux six 83, Dioscoreaceae diorciones en limple-condate-acuminate non.

14. Discouring Ling sin b 2. Septed Horson & me the red. on .... Smalled stand 25. war 3- sua 5 - n'en . 99. Lelremenoras I Th. 28 gun 200 1 sind-wise cult, is the ranging to such is will promy emust, Frest : v i - gellon file inflation 2000. Bringach. 86. Esquinosas I Desmodémino ?)

small-3-fréale low. brown-hairy, bracts, a dainty plant. 160. Esseminorae 1 Erect hub publishent, odd-primale los, Fla cone red in racemer, 5. Lagurmosas I 101. Expressionar I Find trailing - totming, 3- foliale Rugose reticulated in mietake hun Erick, sensal-foliale- White fls, standard blackish about. 112. Malraceae 9. Treminorae I vino- 3- friede, rhomboid odd leaflet, relity below! this bend dru, lage stræd fellow. Ell. skaped Horsoms, 103. Lequinoras t J. ?. Gracts, Somet folded it somet of int of sout.

cours I- y pinorale- los inthe adhesin Hand, Large imbridates E.S. Laguminozae I nino 3- fréiale, orale lenflets, pale fla-in seant, ruemes. 164. Seguminosas I D? Graft at about her rumestons.

Not. Seguminosas I Jing bant in thickets - radical, oral los, fla minulo fanis-For weed, rect, 4- pariet the corolla. guinny at 103. Beacts hairy row-red. ! my conshisword, decidences 13. La Juninosa 1 Destacario (?) 106. Dommelynaceae Tradessantin Fing, hairy, Limple leand - inflated pouls. Common'- linear banceolale los, The flue, not in curious porter 16. Legumnosas I 107. Dom melynaseas. Fradercantine The spiked - one Rided - imbricated in conspicuous ractor, one-3 joliali los, varies much in ligo + Ahape- oral to Cancrolale 1-4' Fla- purplish, 108. Commelynaceae Cadercantia 14. Moegnaceae much like last - hairy low, + stem, los - stiff. Ils francled. while 5- haded limb - towards or wary 109, Ecrophulariaecae a hutty plant inthe violet colored bell- shaped & lipted or. 16. Enbiaceau? Firsty - sino ?, gellowish to might . in close conjunts - fragrant. 110. Forsphulariaceas lon-in mats, brown-ruple ila, relatet to 33 m to Lead O. Efinna + Frank nite simble! hoary, Spatulale-low-yellow pla-low suet, 111, ergumenas Crotataria, ? ", Muartomaceae Palmula los - strul Elmo - inflated and them in sall show - the sarge love color!

1/2, Lefaminorae 1 lesengonomeno? Jee in the seas simula 40 pres. Fla fellow with red streates. 110. Papuminerae I omnoh like the abord-stem friedly! layer. Ils. mottled 114. Quy grahyllaceae . Tribules torrestris? En jimiste spoprite, unequal, fla gellow, faid with spines. 115, Permaceae long-long truling, is with aromal like Lago- Als Plui 2 apre 1/6, Termaceae : Blue fla- nearly regular in mry long spikes, - also out. Avanimene to Chlorideae

Likes digitate - not apreading, Equal. Spikeles / rufut flows brown 2 11. f. Les hodiaceae Alaginella

Allio-rust.

2. Certhula iaceae lineaux lor, rose rusple Harrows - alices & Ferrana -2. Donorbulaceae much like 27 - but ears resuled at rase . + flust calyp-- 1 Canthereac 22. Franciscae Eragrortis

Spikelett-reale with feelicets as long as they-Outer paled out healed much like 44. but lome end clammy, los this-flats, 124 Frammeal Diorcioux, stiff, lage, Fartile flo capitale, Remdy Careher. 126. aranmeae Frond thing flat in, while one side parieled .- purple author

To. Dy maceae : Last ince flem!, skarins, flowed, x'y " -127. Cymaciae Lound 2'-5' less viry - heads full-flowed, puty, in. 128. Sepheraceae Larger 12/12 Lucculent, Granify Afrits\_ 12%. Umaran lacine Lucculant Stimes - He with find bracks in agillary clusters 180. Tramineae Small- Spikes simple Phort. 131. Grammeau Lagu, spikes limplo, hard, sticks in clothing,

132, Franciscae Dactyloctenium

Digitale 1- sided spikes - 2-4 in aumber-course, outer plume 135. Trammeas Sall, digitati, 134 Gramineae

Related to 44. + 123, Panielo my lass + open drang flat - scrat-135. Foraginaceae

Slender-

186. a zguminodac Vine 3-Irliale shomboid odd leaflet- frund out in fruit 137. Compositae

Time houry slant.

138, Defuminoral mo-3-filiale large, Als. rose-color, graguant enrywhise,

189. Convolvulaciae Trailing, littoral, Los retuse, thick - He rose- rink

71. Enphorbraceae Frage- Die-Common hedge plant, lass los, o unidercal gla, vitto double perian 141. Laguminosae 11 66. Expumnosa I This - leand, Fla cream-color-last. jetats & near? Equal. cult. +2. Dramineau 156. j'difmoniaceao spike deparatis into joints. 43. Frammer les trale-lancestate, large, spikelet fanicles, brown 158. Torsphulariaceai 74. Frammeau Los, long linear, revolute - parioles wearly white. 157. Labiatae 145. Frammeau my loose from panieles. 160 Pontederca ceae 146, Cypiraceae Spikelets any small, + lovely clustered. 14%. Experaceae 161. Acanthaceae lager apikelets juller panicled clusters. 148. Opperaceae 162 Labralae large brown heads, 149. Franciscae digitale, green spiker. 150. Gramineau panicled 51. Graminlae 166. Oucur vitaseae my large love vaniele. , F2, Conventaceae El 166. Concurbitaceae varse freed dodder 1: 13. Compositae 16%. Octaminear As all tubular - Jellon

Im opposite. JA. liko z zora ? Due pinnato los, lasse white fla airo rea He fellow. ford flattened farallel rite racition any same. Common wed fla, Jellow. much like an Ocyanum. fle. early. annals rollie, i oma common, ditches & canals-fls. shy-Rus. Low. burny thrul; ?; flo thong, Ample, is opines. commond, cult, plant puplish or freen. Enry-when 63. Anvegnaciae Tinca Rosea. cult. fle. rink varying to write. 164. Malraceae : Doutilon (3) Common, orlety los, fellow pls. Ducur vitaseae sur de de la fuit, à divisiones, sur fin t, à divisiones, fla, ouff- 3 de la riche, vient de la riche, diorecous, Els. while, fruit a ruty, con-red cucumber.

25. Braceal

Some idiblo in ternate or redale, sinkers almost game. Common lost med. with while heads.

Since Source once innatified, mint reticulated, soid round.

The dilamineae.

184. Scitamineae ids borne. cream-colored large fla, est places. low racemed / sided-curred, flo on up had hidd. 1.7. Combretaceal Quisqualis ? 186, Lafuminosas I les toico pinnale but inthe only of leaguete, fruit inthe ruminates ine cultivated ple showy, red.

12. Ecitamineae

les 2. orbicular lying flat on fround. ple while rp. fle

75. L 86. Ccrophulariaceal stant with spikes of fretty finds austitud fla have. 187. Gramineas. Tru or shrub (?) oborate alternale-loss, fls in linear spiker, alunt tall last, my hairy los, + sheather spikes racemed a raince. 188. Legumenoras I ino, la strong-seented granisto fellos in clusters, '75, Enphor Giaceae Tree-brifiliate, with large varnished letts, jet remillion color Low, procumbent, fla /2' with 2 almost settle life recurra. Con impo 190. Acanthaceae sine with broad cordato, accuminate los, fla inconspicuous. fruit Lome hub, Als minute, lilac-color in unilatical plattine 177. Dongolmlaceae Leamochit Vulgarix-191. Lefuminodad I cloud ond fla - fruit - prol 2 melnd 1-2 Leeded.

nead relative of is. Lo. less of I large lift, fracts broad heart-stiafed

1912. Convolvulaceae

Stim winged twisted los condate asuminate, jes waite, carja acreum Toyhur vine introduced about 1866 - Ends to brooms offen. 18. Eorophulariaceae Venskellia juncea introduced from Thing, outs, only. 193. Eabiatae parson autud, lomo sprading, caly 10 Ribbia - toutine. End, without aroma, flx 4-9 in spoposite clusters, white upper lip 179. Grashilaceae Common in dry placet - Excaping from cultivation 180. Surphulariaceae all flying one may. Common. Cultir low 8hrub. fle white, like a flock of birds 194 Canthaceae striped some hick, feeds & in Each air in Buyer lon fuberent, in bracteate route-like thiker-appel lik orome Butty dense Should introduced. Int with gloras room times, attendate los which are in his ria wente, inthe a s. Action of central midrit in the firmer.

210. Gramineae is. smult orticeal very eage time when. Isw. id. Silky spiked, he radical my long 3°-40 used you 27. Sefuminoras I sind &- Foliate, fla purplish lead-color, orang 4 - mingrat frodu-2/1, Graminea kathit course, janiched moist places. 2/2. Eyrisaesae 195. Syperaceae Shim triangulas hafty to top, Its in a long famish, grain while Rather large spikes tonco umbrica. 213, Pubiaceas Gardenia ! , Il Grammeal Small. Spikes brown, Assmineal Tall Shrub with wayy adhering bre- fla saifi mite d'ay.

2/4, Seguminorae
los plant, wordy. - branching. In linear simple, vois suin Lot. Gramineal Tall-famicled. Short-awned - los broad flat, ditches, 2/5. Conanthaceae appointe buries small, sissile. Buside. Conasites on other parasites? Suafles stim margined, translus 201. Leguminosae II jourh - about 14 - Joliate, flo cashes last, yellows. 202. Edanaceae 2/6. Loranthuseas Dasarile with les opposite, grato conaccourt fx imalle tenvin Lest. resembling Ramum nigrum, fla, while, fruit Rain 200. Parbonaceae Landana 2/1. Orchidaceae terristrial Platanthura (2)

floming scape with brusts only-flow white opin-spur Front.

2/8. Orchidaceae Ehiphytal

flor. lass, plan. Casemes from leafy steen, flait from common hedge-plant, fla range- red, angles with recurred withe 204, Elnacardiaeeae Mangifuw Indiaw
Cult, True, Jun - Feb.
205, Opreynaceae 219. Myrlaceae Trice of moderate rigor The junior lebus, largo, 200. Myrlaceae "Lag-how aprecement fla cream color large loge- fragrant 2. D. Iraceae 2.21. Prépromisseur.

Les mils pale blac or now pls. much orumplediones.

2.21. 207. 208. Thrub with thouse odd lording 4- petaled flo. 243 Apregnaceae 209. \_\_\_\_\_ Houting fla while resumbling Dajattania sub from perennial root, en laste, it in laste Shrub- Jla Small in long love racenes frequent compound symet,

Lat. - Dimacene androne take show . " now tough, while . It's Small. The . May Course firm once primalifié nint articulated. soir lags wated. 226. Aghraceae heads handrome. with while plumes imbridate like Grapostis ~ at. Cottanemene 27. Scitamineae Alfinia

29. Scitamineae Alfinia

29. Scitamineae

29. Scitamineae 229. Scilamineae E'60. Malraceae May Is wale to lanceolate. Hick puberulent. while brueath fla row-color. Jule, fla small in last jugamidal panieles - Buyhoh. alternale bro, shrut, flo, consopilatous. trumfil shaped. hub. Its large-dulphur yellow. los, palmately divided Buykob. 204. Défuminoral 3-Joliale - Stipules sheathing 3-toothed, small hub. 236, Enprisoneal may inne standed it has branched them go, fly in smalled cluster. 127 Defuminosas II May lie jari-frimate 4-7 fairt. fla large spellow

Shrub cult. Ivo. 3- foliale fruit with red berry months with 238; husantaceae 239. Sapparidaceas Common med - las + flams - Racionis Eather in currier. 240. Capparidaceae Polanisia viscosa sincu Common med my viseed flo, fellow, 241. Lequininosas H. Acacias ?!

Los turco rais simule small. Spines long, while Fla fellow heads 242. Enphor biaceae Heratia Remon Ahrub. Cult, Cinonoscioux. Fretile fla 6- faction, Claumalo 243. Ryetatyricae Borchaana differed & Semble would com mon procumbent med, fla emale into in small runcilia 27%. Anacardiaceas Low. cult, with fine acid, fellow, glum- shaped juit. 246, Compositae 246. Apregnaceae afreynaceae and usually drouped for while is drop. 247. Malraceae Enphorbiaceae 2 2 Lempho-2:18. Enphririaceae Imall annual med, Limilar to 242. cult from Lingapord. Its fall blew thony. Cafe Plumonist. 249. Chumbafinaceae 250. (Jumbafinaceae Common cult Eng whise - Road Phenobated ? tell. 95%. Malraceae ion crufning inn - gellost flx,

25): Eleotraineas relagine a vilt from the Stails, sine-long tracking. 1. 3. Lycohodiaceae suit from the Straits, great or assending. 250 \_\_\_\_\_ Eu cull-256. Malruceae Duris 27. Common cultivated mango-stud, 258. Donnolmlaceae procumbent old faint pink. 259. Convolvulaceae Twining -260 Convolvulaceae dimbing om bushed - fla gellord-open. 261. Aproegnaceae Fruit used in curried - proisons dops but not onen. 262. bonnolnilacine 268 Lefuminssais I fullow- large spends the aut. Feb. Fire with shines trifoliate, fla red, learlie orgillion 264, Tolomaceae cult, huge thrasting bash. flo handsome lilae-cold. 200, Feromaceae cult a Small farul, flores trusted Small-rule purplish